



**Abstract Title:** Equine 3D Electro-anatomical Mapping in Sinus Rhythm elucidates the Electrocardiogram and Cardiac Electrical Activation Pattern

## ABSTRACT PREVIEW: EQUINE 3D ELECTRO-ANATOMICAL MAPPING IN SINUS RHYTHM ELUCIDATES THE ELECTROCARDIOGRAM AND CARDIAC ELECTRICAL ACTIVATION PATTERN


[Edit Equine 3D Electro-anatomical Mapping in Sinus Rhythm elucidates the Electrocardiogram and Cardiac Electrical Activation Pattern](#)

Abstract ID: 837045

Submission Type: Research Report

Abstract Status: Active

### Primary Presenter(s)



**Gunther van Loon, DVM, PhD, DECEIM, Assoc  
MemberECVDI**

**Position:**

Prof. dr.

**Organization:**

Equine Cardioteam, Ghent University

**Address:**

Equine Cardioteam  
Large Animal Internal Medicine  
Salisburylaan 133  
Merelbeke  
Oost-Vlaanderen 9820  
Belgium

**Role:**

Primary Presenter

**Presenter Status**

ACVIM Diplomate or Diplomate of another College

**Presenter Status Continued**

Diplomate of the European College of Equine Internal Medicine (ECEIM) and Associate Member of the European College of Veterinary Diagnostic Imaging (ECVDI)

**ACVIM Candidate Research Abstract Award Eligibility Confirmation**

I understand ACVIM is basing information on research abstract award eligibility on submission information provided. Any errors are my fault.

**ACVIM Candidate Research Abstract Award Eligibility Presentation Schedule Confirmation**

I understand if I am eligible for a research abstract award I will present Wednesday during the Specialty Symposium, or Thursday, if oral, and present Thursday evening during the ACVIM reception if poster. I accept there are no exceptions to the research abstract award eligible schedule.

**Research Abstract & Research Report Presentation Schedule Confirmation**

I accept research report and research abstract oral presentations are scheduled Wednesday through Friday and the ACVIM can not guarantee accommodation for a conflict I might have. I also accept the research abstract poster Q&A is Thursday evening during the ACVIM reception and there are no exceptions to the schedule.

**Research Abstract Poster Q&A Presentation Method Confirmation**

I accept the ACVIM can not guarantee a research abstract physical poster Q&A presentation method due to space limitations.

**Co-Author(s)**

---

1. Lisse Vera
2. Annelies Decloedt
3. Stijn Schauvliege
4. Tim Boussy
5. Glenn Van Steenkiste

**Abstract**

---

**Primary Audience Interest**

Equine

**Research Abstract Consideration**

- Yes

**Classification (Used for sub dividing Small Animal Internal Medicine, Equine and Food Animal Internal Medicine.)**

- Cardiology

**Abstract**

Understanding the depolarisation pattern of the equine heart under normal physiological conditions, and its relationship to the surface electrocardiogram (ECG), is of uppermost importance before any further research can be done about the pathophysiology of complex arrhythmias. The purpose was to use a 3D electro-anatomical mapping system under general anaesthesia to evaluate the qualitative and quantitative atrial and ventricular depolarisation patterns and correlation with the surface ECG in 7 healthy horses in sinus rhythm. Bipolar activation maps of the endocardium were analysed. The first atrial activation was located at the height of the crista terminalis. Only one interatrial conduction pathway was recognised. The first and second P wave deflections represented the right and left atrial depolarisation, respectively. His bundle electrograms could be recorded in 5 out of 7 horses. Left ventricular activation (Fig. 1 to 3) started at the mid septum, right ventricular activation apically from the supraventricular crest. This was followed by separate depolarisations at the height of the mid free wall. Further ventricular depolarisation occurred in an explosive pattern. Electrically active tissue could be found in all pulmonary veins. In contrast to findings of previous studies, all parts of the ventricular depolarisation contributed to the surface ECG QRS complex. This study provides a reference for the normal sinus impulse endocardial propagation pattern and for conduction velocities in equine atria and ventricles. This information allows to improve ECG reading and develop better recording techniques, such as new 12-lead ECG configurations, in horses.

## Presentation Scheduling

(please not on Wednesday)

## Uploaded File(s)

### Upload Image or Table




Figure ACVIM.jpg

## Humane Care, Conflict and Publishing

### Humane Care

Yes

### Conflict of Interest

No

### Conflict of Interest

### Previously Published

No

### Previously Published

